

## Case performed by Dr. Feriduni – 8618 FU in 2 procedures

FUE's performed on a 47-year old Caucasian male with

- NW NW VI, Class N
- Donor density of 92 FU/cm<sup>2</sup> occipital, 88 FU/cm<sup>2</sup> parietal, 76 FU/cm<sup>2</sup> temporal
- Hair diameter of ~61-67 microns

### Treatment plan

1<sup>st</sup> Follicular Unit Extraction to attain an aesthetic reconstruction of the hairline and midhead region.  
2<sup>nd</sup> Follicular Unit Extraction recently performed to rethicken the crown area.

### Performed procedures

1<sup>st</sup> FUE (July 22, 2019) - hairline  
Follicular Unit Extraction with 4756 FU:  
\* 429 single hair FU  
\* 2107 double hair FU  
\* 2064 triple hair FU  
\* 156 quadruple hair FU

HGI: 2,41

Parallel incisions in custom-sized blades technique (Cutting Edge blades of 0,75-1,0 mm).  
Extraction performed by WAW-system with a 0.90 mm serrated trumpet punch.

2<sup>nd</sup> FUE (March 9, 2020) - crown area  
Follicular Unit Extraction with 3862 FU:  
\* 200 single hair FU  
\* 1794 double hair FU  
\* 1757 triple hair FU  
\* 111 quadruple hair FU

HGI: 2,46

Parallel incisions in custom-sized blades technique (Cutting Edge blades of 0,75-1,0 mm).  
Extraction performed by WAW-system with a 0.85 mm serrated trumpet punch.

No microscopic preparation of the follicular unit grafts.

Dr. Bijan Feriduni

1<sup>st</sup> FUE - Hairline and midhead region - 4756 FU





Preop 1<sup>st</sup> OP

6 months postop 1<sup>st</sup> OP

















Preop



2<sup>nd</sup> FUE - Crown area - 3862 FU











Intraop 2<sup>nd</sup> OP, 9 months after 1<sup>st</sup> OP with 4756 FU





Update on crown area will follow